



Product Name: LIQUID CONTRAST

Date Issued: 09/11/90

-----  
SECTION 5. REACTIVITY DATA  
-----

Stability: STABLE

Incompatibility - Materials to Avoid: NONE KNOWN TO NSS

Hazardous Polymerization: WILL NOT OCCUR

Conditions to Avoid: NONE KNOWN TO NSS

Hazardous Decomposition Products: WHEN EXPOSED TO FIRE, PRODUCES NORMAL PRODUCTS OF COMBUSTION.

-----  
SECTION 6. SPILL, LEAK AND DISPOSAL PROCEDURES  
-----

Spill Response: FOR SMALL SPILLS. DILUTE WITH WATER AND PICK UP WITH MOP AND PAIL. FOR LARGE SPILLS, DIKE AREA TO CONTAIN SPILL. CLEAN UP USING ABSORBENT MATERIAL. PLACE ALL CONTAMINATED MATERIAL IN A CLOSED CONTAINER FOR DISPOSAL.

Product Disposal: WASTE FOR DILUTED PRODUCT MAY BE FLUSHED TO SEWER. UNDILUTED PRODUCT RECOVERED FROM SPILLS MAY BE SENT TO A LICENSED DISPOSAL FACILITY TO BE DISPOSED OF IN ACCORDANCE WITH FEDERAL/STATE REGULATIONS AND LOCAL ORDINANCES.

Container Disposal: TRIPLE RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IN REGULAR TRASH COLLECTION IF ALLOWED BY LOCAL, STATE AND FEDERAL REGULATIONS.

-----  
SECTION 7. HEALTH HAZARD DATA  
-----

Primary Route(s) of Entry: EYES, SKIN

Symptoms of Overexposure:

Eye Contact: LIQUID OR HIGH CONCENTRATIONS OF VAPOR CONTACT MAY CAUSE IRRITATION

Skin Contact: PROLONGED AND REPEATED CONTACT CAN CAUSE DRYNESS AND IRRITATION

Inhalation: NO HEALTH EFFECTS ARE KNOWN TO OCCUR FROM INHALATION OF THIS PRODUCT UNDER NORMAL USE IN WELL VENTILATED AREAS. HIGH AIRBORNE CONCENTRATIONS OF MIST OF THIS PRODUCT MAY CAUSE IRRITATION OF THE UPPER RESPIRATORY TRACT.

Ingestion: MAY CAUSE MARKED AND PERSISTENT NAUSEA, VOMITING AND ABDOMINAL PAIN. IF VOMITING OCCURS FOLLOWING INGESTION, ASPIRATION (BREATHING) OF VOMITUS INTO THE LUNGS CAN CAUSE BRONCHOPNEUMONIA OR PULMONARY ADEMA.

THE ISOPROPYL ALCOHOL AND 2 BUTOXY ETHANOL LISTED IN SECTION 2 ARE NOT LISTED ON THE OSHA, NTP, OR IARC MONOGRAPHS CARCINOGEN LISTS.

Product Name: LIQUID CONTRAST

Date Issued: 09/11/90

-----  
SECTION 8. EMERGENCY AND FIRST AID PROCEDURES  
-----Eye Contact: FLUSH EYE WITH WATER FOR 15 MINUTES WHILE HOLDING EYE LID  
OPENSkin Contact: WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING  
AND SHOES. WASH CLOTHING BEFORE REUSE. IF IRRITATION PERSISTS, GET  
MEDICAL ATTENTION.Inhalation: MOVE PERSON TO FRESH AIR. IF SYMPTOMS OF RESPIRATORY  
DISCOMFORT PERSISTS, GET MEDICAL ATTENTION.Ingestion: REQUIRES IMMEDIATE MEDICAL MANAGEMENT. DRINK MILK OR WATER  
AND GET MEDICAL ADVICE. VOMITING SHOULD BE INDUCED ONLY ON RECOMMENDATION  
OF MEDICAL PERSONNEL.-----  
SECTION 9. SPECIAL PROTECTION INFORMATION  
-----

Respiratory Protection: NONE REQUIRED

Ventilation: NORMAL VENTILATION

Protection Gloves: NONE REQUIRED

Eye Protection: NONE REQUIRED

Other Protective Clothing/Equipment: NONE REQUIRED

-----  
SECTION 10. ADDITIONAL INFORMATION AND PRECAUTIONS  
-----SARA TITLE III H&P RATINGS: Acute, YES; Chronic, NO; Fire, YES;  
Press. Release, NO; Reactive, NO;

NFPA RATINGS: HEALTH -2 FIRE -3 REACTIVITY -0 SPECIFIC -0

Handling and Storage Precautions: FOLLOW LABEL DIRECTIONS. STORE IN A  
COOL DRY PLACE. KEEP OUT OF REACH OF CHILDREN.-----  
SECTION 11. REGULATORY CLASSIFICATIONS  
-----

Proper Shipping Name (DOT): ISOPROPANOL

Hazard Class (DOT): FLAMMABLE LIQUID

UN Number: 1219

NA Number: N/A

-----  
THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET REPRESENTS THE LATEST  
DATA AND BEST OPINION AS TO THE PROPER USE AND HANDLING OF THIS PRODUCT  
UNDER NORMAL CONDITIONS. ANY USE OF THIS PRODUCT OR METHOD OF  
APPLICATION WHICH IS NOT IN CONFORMANCE WITH THIS DATA SHEET AND THE  
PRODUCT LABEL DIRECTIONS, IS THE RESPONSIBILITY OF THE USER. THIS  
MATERIAL SAFETY DATA SHEET WAS PREPARED TO COMPLY WITH THE OSHA HAZARD  
COMMUNICATION REGULATION.  
-----