MATERIAL SAFETY DATA SHEET

This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174

IDENTITY AND DISTRIBUTOR'S INFORMATION							
NFPA Rating: Health-2;	Flammability -2; Reactivity -0; Special -		HMIS Rating: Health-2; Protection-B	Flammabi	lity-2; Reac	tivity-0; Pers	sonal
Manufactured For:	Unisource Worldwide, INC.	OOT Hazard Classification:					
Address:	For ground transport:						
Address: 6600 Governors Lake Pkwy Norcross. GA 30071			Combustible (CFR173.150F)				
			(in containers less than 119 gallons capacity)				
			For ocean vessel or air transport:				
			Flammable Liquid, 3				
			Identity (trade name as used on label):				
			ALLSTAR BLITZ AIRBORNE (U17300,U17301,U17302)				
			MSDS Number: B00400 Revision - 7				
			Date Prepared: 10/21/05 Prepared By: IB/TR Information Calls: (770)422-2071				
SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION							
COMPONENTS-CHEMICAL	L NAMES AND COMMON NAMES		CAS Number	SARA	OSHA PEL	ACGIH	Carcinogen
(Hazardous Components 1	% or greater; Carcinogens 0.1% or greater)			III LIST	(ppm)	TLV (ppm)	Ref. Source **
MINERAL SPIRITS			64742-88-7	No	N/E	N/E	d
	SECTION 2 - PHYSIC	AL/CHE	MICAL CHARACTER	ISTICS	<u> </u>	1	
Boiling Point: Est. 220°	Specific Gravity (H2O=1): 0.77-0.79						
ū			Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): N/D				
Vapor Density (Air = 1): >1			Evaporation Rate (water = 1): >1				
			Water Reactive: Negligible				
Appearance and Odor: Clear fluid, pale yellow with petroleum odor.							
SECTION 3 - FIRE AND EXPLOSION HAZARD DATA							
FLAMMABILITY as per USA FLAME PROJECTION TEST Auto Ignition Temperature Flammability Limits in Air by % in Volume:							
(aerosols) N/A	OF CLEANIE LICOLOTION LEGI	71010	N/D	% LEL		% UEL	
,	OD USED (non-aerosols): 114°F TCC	1	SPECIAL FIRE FIGHTIN				
without proper protective equipment including NIOSH approved self-contain							
EXTINGUISHER MEDIA: Water spray or fog, foam, dry chemical or CO2. Do breathing apparatus. Cool fire exposed containers, surrounding equipment &							
not use direct water stream. structures with water.							
Unusual Fire & Explosion Hazards: None known.							
	SECTION 4 -	REACTI\	/ITY HAZARD DATA				
STABILITY [X] STAB			HAZARDOUS POLYMERI			X] WILL NO	T OCCUR
Incompatibility (Mat. to a	Conditions to Avoid: Heat, sparks, open flame.						
Hazardous Decomposition Products: Oxides of carbon & unidentified organics may be formed during combustion.							
SECTION 5 - HEALTH HAZARD DATA							
PRIMARY ROUTES OF ENTRY: [] INHALATION [] INGESTION [X] SKIN ABSORPTION [] EYE [] NOT HAZARDOUS							
ACUTE EFFECTS: Toxicity: CNS depression producing headache, dizziness, nausea and loss of consciousness.							
Inhalation: High concentrations or prolonged exposure to lower concentrations may be slightly irritating to mucous membranes. Eye Contact: Slight irritation from short term contact. Prolonged & repeated Skin Contact: Prolonged & repeated liquid contact may result in irritation and							
contact more irritating.					iiquia contact	may result in	irritation and
Ingestion: May result in vomiting. Aspiration of vomitus into lungs must be avoided as lung contact can result in chemical pneumonitis and pulmonary edema.							
CHRONIC EFFECTS: None known.							
Medical Conditions Generally Aggravated by Exposure: Pre-existing irritation of skin or mucous membranes.							
EMERGENCY FIRST AID PROCEDURES							
Eye Contact: Flush with water for 15 minutes. If irritation persists, get medical attention.							
Skin Contact: Wash with soap and water. If irritation persists, get medical attention.							
Inhalation: Remove to fresh air. Provide oxygen if breathing is difficult. Get medical attention.							
Ingestion: DO NOT INDUCE VOMITING. Drink 3 to 4 glasses of water. Get immediate medical attention.							
SECTION 6 - CONTROL AND PROTECTIVE MEASURES							
Respiratory Protection (specify type): As required to prevent overexposure. NIOSH approved air purifying respirator for organic vapors or atmosphere-							
supplying respirator. Protective Gloves: As required to minimize skin contact. Eye Protection: Safety glasses or goggles.							
Ventilation Requirements: Explosion proof ventilation as required to control vapor concentrations.							
Other Protective Clothing & Equipment: Clothing as required to minimize skin contact. Eyewash station and safety shower.							
Hygienic Work Practices: Do not eat, drink or smoke in work area. Wash hands after handling.							
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE							
Steps To Be Taken If Material Is Spilled Or Released: Contain spill. Keep out of surface waters & any sewers or water courses entering or leading to surface							
waters. Soak up with inert absorbent & place in properly labeled leak-proof containers for disposal.							
Waste Disposal Methods: Dispose of in accordance with all local, state and federal regulations.							
Precautions To Be Taken In Handling & Storage: Store in original shipping containers away from heat, open flames & oxidizing materials. Keep closed when							
not in use. Shelf life 1 year.							
Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Read & follow label directions.							