SAFETY DATA SHEET

1. Identification

Product identifier Safetec® Sting Relief - Towelette

Other means of identification Not available.

Recommended use Not available.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Manufacturer: Safetec of America, Inc.

887 Kensington Avenue

Buffalo, NY 14215 1-716-895-1822

Company Telephone: 1-716-895-1822
E-mail Address: www.safetec.com
Emergency Telephone: 1-800-255-3924
Supplier Refer to Manufacturer

2. Hazard(s) identification

Physical hazardsFlammable liquidsCategory 3Health hazardsSerious eye damage/eye irritationCategory 2A

Specific target organ toxicity, single exposure Category 3 narcotic effects

Environmental hazards This mixture does not meet the classification criteria according to OSHA HazCom 2012.

OSHA defined hazards This mixture does not meet the classification criteria according to OSHA HazCom 2012.

Label elements





Signal word Danger

Hazard statement Flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness.

Precautionary statement

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and

receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist or vapor. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Response If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get

medical advice/attention. In case of fire: Use appropriate media for extinction.

Storage Keep cool. Store in a well-ventilated place. Keep container tightly closed.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Ethanol	Alcohol Ethyl Alcohol	64-17-5	52.5

Chemical name	Common name and synonyms	CAS number	%
Lidocaine		6108-05-0	2
Menthol		2216-51-5	0.5

4. First-aid measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Get medical attention if symptoms persist.

Skin contact Wash off with warm water and soap. Get medical attention if symptoms occur.

Dry chemicals. Foam. Carbon dioxide (CO2).

Eye contact If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Get medical attention if symptoms persist.

Ingestion If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting

without advice from poison control center. Get medical attention.

discomfort and dermatitis. May cause drowsiness or dizziness.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

products

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

and precautions for firefighter Fire fighting

equipment/instructions

General fire hazards

Hazardous combustion

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Cool containers exposed to heat with water spray and remove container, if no risk is involved.

mixtures. Thermal decomposition or combustion may liberate toxic gases or fumes.

The product is combustible, and heating may generate vapors which may form explosive vapor/air

Causes serious eye irritation. Frequent or prolonged contact may defat and dry the skin, leading to

_.

Flammable liquid and vapor.

Carbon oxides. Nitrogen oxides (NOx). Halogenated compounds.

Do not use water jet as an extinguisher, as this will spread the fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep unnecessary personnel away. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Absorb spill with vermiculite or other inert material, then place in a sealed container for chemical waste.

Large Spills: Flush with plenty of water. Prevent entry into waterways, sewer, basements or confined areas. Dike for later disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Eliminate all sources of ignition. Take precautionary measures against static discharges. Ground/bond container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Use only with adequate ventilation. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Do not store around flammable or combustible materials. Store in tightly closed original container in a well-ventilated place. Keep cool. Store locked up.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

 Components
 Type
 Value

 Ethanol (CAS 64-17-5)
 PEL
 1900 mg/m3 1000 ppm

 US. ACGIH Threshold Limit Values
 Type
 Value

 Ethanol (CAS 64-17-5)
 STEL
 1000 ppm

 US. NIOSH: Pocket Guide to Chemical Hazards
 Type
 Value

 Ethanol (CAS 64-17-5)
 TWA
 1900 mg/m3

Etnanol (CAS 64-17-5) TWA 1900 mg/m3
1000 ppm

Biological limit values
Appropriate engineering controls

No biological exposure limits noted for the ingredient(s). Explosion-proof general and local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Chemical resistant gloves recommended.

Other Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of

exposure. Contact health or safety professional or manufacturer for specific information.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Contact health and safety professional or

manufacturer for specific information.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygieneAlways observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance Towelette.

Physical state Liquid.

Form Towelette.
Color Off-white.

Odor Antiseptic odor.
Odor threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point 60.3 °F (15.7 °C)

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

3.3 % 19 %

Flammability limit - upper

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Complete.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Specific gravity 0.92

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Keep away from heat, sparks and open flame. High temperatures.

Incompatible materials Strong oxidizing agents. Acids.

Hazardous decomposition Carbon oxides. Nitroge

products

Carbon oxides. Nitrogen oxides (NOx). Halogenated compounds.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause drowsiness or dizziness.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Eye contact Causes serious eye irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Most important

symptoms/effects, acute and

delayed

Causes serious eye irritation. Frequent or prolonged contact may defat and dry the skin, leading to

discomfort and dermatitis. May cause drowsiness or dizziness.

Information on toxicological effects

Acute toxicity Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Acute toxicity	ingestion may cause gastrointestinal initiation, nausea, voiniting and diarriea.		
Components	Species	Test Results	
Ethanol (CAS 64-17-5)			
Acute			
Dermal			
LD50	Rabbit	> 15800 mg/kg	
Inhalation			
LC50	Rat	> 32380 ppm, 4 hours (vapor)	
		> 61 mg/l, 4 hours (vapor)	
Oral			
LD50	Rat	7060 mg/kg	
Lidocaine (CAS 6108-05-0)			
Acute			
Oral			
LD50	Mouse	292 mg/kg	
Skin corrosion/irritation	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. Causes serious eye irritation.		
Serious eye damage/eye			

irritation

Respiratory or skin sensitization

Respiratory sensitization This product is not expected to cause respiratory sensitization.

Material name: Safetec® Sting Relief - Towelette 2131 Version #: 01 Issue date: 01-29-2015 **Skin sensitizer** This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive effects.

Specific target organ toxicity -

single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity -

repeated exposure

Not classified as a specific target organ toxicity -repeated exposure.

Aspiration toxicity Not expected to be an aspiration hazard.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous.

Components **Species Test Results** Ethanol (CAS 64-17-5) Aquatic Acute Algae EC50 Green algae (Selenastrum 1000 mg/l, 96 hours capricornutum) EC50 Crustacea Water flea (Daphnia magna) 5012 mg/l, 48 hours Fish LC50 Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Partition coefficient n-octanol / water (log Kow)

Ethanol -0.31

Mobility in soil Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulationsDispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN number UN1170

UN proper shipping name Ethanol solution (Ethanol RQ = 190 LBS)

Transport hazard class(es)

Class 3
Subsidiary risk Label(s) 3
Packing group III

Special precautions for user Not available.
Special provisions 24, B1, IB3, T2, TP1

Packaging exceptions 4b, 150 Packaging non bulk 203

242 Packaging bulk

IATA

UN number UN1170

UN proper shipping name Ethanol Solution (Ethanol)

Transport hazard class(es)

3 Class Subsidiary risk Ш Packing group **Environmental hazards** No. **ERG Code** 3L

Special precautions for user Not available.

Other information

Passenger and cargo

aircraft

Allowed.

Allowed. Cargo aircraft only

IMDG

UN1170 **UN number**

UN proper shipping name

Transport hazard class(es)

Ethanol Solution (Ethanol)

3 Class Subsidiary risk Ш Packing group

Environmental hazards

Marine pollutant No. F-E, S-D **EmS** Special precautions for user Not available. Not available.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

DOT



IATA; IMDG



15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Ethanol (CAS 64-17-5) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

Ethanol (CAS 64-17-5)

US. New Jersey Worker and Community Right-to-Know Act

Ethanol (CAS 64-17-5)

US. Pennsylvania Worker and Community Right-to-Know Law

Ethanol (CAS 64-17-5)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Ethanol (CAS 64-17-5) Listed: April 29, 2011

Listed: July 1, 1988

US - California Proposition 65 - CRT: Listed date/Developmental toxin

Ethanol (CAS 64-17-5) Listed: October 1, 1987

International Inventories

0-----

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes

Country(s) or region Inventory name On inventory (yes/no)*

Philippines Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 01-29-2015

Version # 01

Disclaimer Prepared by: ICC The Compliance Center Inc. 1-888-442-9628

http://www.thecompliancecenter.com

Disclaimer

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by / obtained from and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc. and expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this

SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed

knowledge and permission of ICC The Compliance Center Inc. and

Bibliography ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices (2014)

Canadian Centre for Occupational Health and Safety, CCInfoWeb Databases, 2014

(Chempendium, RTECs, HSDB, INCHEM)

European Chemicals Bureau, Existing Chemicals Work Area, EINECS Information System, 2014.

Material Safety Data Sheet from manufacturer.

OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2014.

Material name: Safetec® Sting Relief - Towelette 2131 Version #: 01 Issue date: 01-29-2015